

Amendments to the Claims:

Please cancel claims 4, 19, 20 and 22.

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A golf ball comprising:

a core;

an inner core layer disposed on the core, the inner cover layer having a

Shore D hardness of at least 60, and

an outer cover layer disposed on the inner core layer,

wherein the outer cover layer comprises a reaction product of one or more reactive components selected from the group consisting of i) polyether-polyols, polyester-polyols, polyamine, and materials with an active hydrogen, and ii) one or more isocyanate-containing constituents, and wherein the outer cover layer is comprised of a relatively soft, low modulus material having a flexural modulus of from about 1,000 psi to about 10,000 psi.

2. (Original) The golf ball of claim 1, wherein the golf ball exhibits a PGA compression of 100 or less and a coefficient of restitution of at least 0.750.

3. (Previously Amended) The golf ball according to claim 1, wherein the outer cover layer has a Shore D hardness of less than 53.

4. (Canceled).
5. (Original) The golf ball according to claim 1, wherein the inner cover layer comprises of thermoplastic material.
6. (Original) The golf ball according to claim 1, wherein the inner cover layer comprises an ionomer resin.
7. (Canceled)
8. (Original) The golf ball according to claim 1, wherein the inner cover layer has a Shore D hardness of from about 60 to about 85.
9. (Original) The golf ball according to claim 1, wherein the outer cover layer has a Shore D hardness of from about 30 to about 50.
10. (Original) The golf ball according to claim 1, wherein the inner cover layer comprises at least one member selected from the group consisting of polycarbonates, reaction-injection-molded polyurethanes, styrene-butadiene elastomers and combinations thereof.

11. (Previously Amended) The golf ball according to claim 1, wherein the inner cover layer has a thickness of from about 0.01 to about 0.15 inches and the outer cover layer has a thickness of from about 0.01 to about 0.15 inches.

12-13. (Canceled)

14. (Original) The golf ball according to claim 1, wherein the core is selected from the group consisting of a solid core and a liquid filled core.

15. (Currently Amended) A golf ball comprising:

a core,

a first inner cover layer formed about said core,

a second inner cover layer formed about said first inner cover layer, said second inner cover layer including at least 50 weight percent of at least one material selected from the group consisting of ionomer resins, polycarbonates, reaction-injection-molded polyurethanes, styrene-butadiene elastomers and combinations thereof, and

an outer cover layer formed over the second inner cover layer, the outer cover layer comprising a reaction product of one or more reactive components selected from the group consisting of i) polyether-polyols, polyester-polyols, polyamine, and materials with an active hydrogen, and ii) one or more isocyanate-containing constituents, the golf ball having a PGA compression of 100 or less and a coefficient of restitution of at least 0.750, and wherein the outer cover layer is comprised of a relatively soft, low modulus material having a flexural modulus of from about 1,000 psi to about 10,000 psi.

16. (Previously Amended) The golf ball according to claim 15, wherein the second inner cover material is thermoplastic.

17. (Previously Amended) The golf ball according to claim 15, wherein the second inner cover material is a thermoset.

18. (Previously Amended) The golf ball according to claim 15, wherein the second inner cover material layer comprises a styrene-butadiene elastomer.

19-20. (Canceled)

21. (Previously Presented) The golf ball of claim 15, wherein the outer cover layer has a Shore D hardness of less than 53.

22. (Canceled)

23. (Previously Presented) The golf ball according to claim 21, wherein the outer cover layer has a Shore D hardness of from about 30 to about 50.